



Eurofrequency Dierking NF/HF-Technik



Pricelist 2011

Our articles are tested and delivered with instructions and illustrations

Our charges include Value Added Tax (BTW, TTC.)

Advice and help by Telephone **Euro 0,-**

Print: PDF

Audio-/Lf-Filter

ED 88 NF-Filter with ASP, in a metal case, 12-16V/ DC / 300 mA extern, from available power supply or from receiver, with 2 plugs: **Euro 200,-**

NEW ED 88 NF-Filter with ASP, in a metal case, complete **but** with extern plug-in regulated power supply (230V AC / 12,5V DC / 1 A) and 2 plugs: **Euro 220,-**

ED 6 CW -Tone -/ Peak filter, Bandpass, as module, 9-15V / DC: **Euro 25,-**

„GD“
are change in :
ED

RF- Antennes

Our ½ Wave Dipole Antenna is center feed, each of which works on 300 W power, using AWG 18 copper wire, center RF-insulator, with special UV resistant Insulation and with RF end insulators.

DX-Vacation Antenna „ 3B“ Dipol for 40, 20 and 15 m band, complete with bag, 13,9 m cable, PL 259 - plug, reel, cord: **Euro 69,-**

DX-Antenna, Mono Band Dipol Antenna, with 13,9 m Coaxkabel, PL 259- plug, attachment cord und discription **Euro 49,-**

Langwire Antenna, „ 3A“ 25 m, with attachment cord, ready for connection, with PL 259-plug for SO 239 **Euro 30,-**

Special Offers
[here](#) Look !

Antennea-Attachment Cord, 8-ply, braided, very strong, resistant against UV-Light, dampness, acids, rot etc. 3 mm o. **Euro 0,25 / per meter**

Watt - SWR - Meter

Double Needle SWR - and Wattmeter - **built-in panel measuring instrument**, 200 uA, 55 x 48 x 25 mm, with lighting, 8-12V DC: **Euro 29,-**

SWR-and Wattmeter Sensor Module with Ringcores, ready for construction, 300 W, 1.5 MHz - 52 MHz: **Euro 28,-**

Microphone-Preamplifier

ED 236 Module Microphone-Preamplifier, **Dynamik Compressor**. tested. 9 -15V/DC, **Euro 29,90**

ED 236 Microphone-Preamplifier, in a steel and **black anodized case**, Dynamik Compressor, together with the connection cable, plug and jack 4-, 6 - or 8 pin, Please state whether: Yaesu, Kenwood, Icom, Stabo etc. is required.: **Euro 79,90**

ED 30 SMD Modul, superflat, Microphone-, Mono AF-Preamplifier for instalation. Tested, 5-15V/DC **Euro 29,90**

ED 60 ASP Modul, Microphone-Preamplifier, ufb and with high performance **4- ply Equalizer**, 9-15V/DC **Euro 39,90**

ED 60 ASP Microphone-Preamplifier, in a steel and **black anodized case**. Equalizer, together with the connection cable, plug and jack 4-, 6 - or 8 pin, Please state whether : Yaesu, Kenwood, Icom, Stabo etc. is required.: **Euro 90,-**

NF-Amplifier

ED 14 4 W audio-amplifier **Module**, der „Audio-Problem-solution“ with mini volume control : **Euro 25,-**

ED 14 - Module installed in a steel and **black anodized case** : **Euro 60,-**

Roger Beep

Roger Beep RP 77 - in a black anodized metal case, with cable, plug and jack 4-, 6- oder 8 pin, Please state whether : Yaesu, Kenwood, Icom, Stabo etc. is required.: **Euro 79,-**

Roger Beep RP 77 as module, SMD equipped, **Us : 5-16V/DC Euro 39,90**

Roger Beep RP 88 -- 1750 Hz as module, SMD equipped, **Us : 5-16V/DC Euro 39,-**



[Our terms of delivery](#)

We can assist you ... with the connection of your devices

ED 33 RF- and AF VOX with relais (8 A / 250V~) 9-16V DC, as **Module: Euro 29,90**

Microphones, *Adonis, Deskmicrophones ED5 - Headset*

Our deluxe headset gives you the ability to carry on a private QSO while doing other things. The mic can pick up your voice, whether booming or at quiet whisper when placed appropriately near your mouth. The earphone gives superb tonal quality so even distant stations will come in loud and clear. Made of sturdy black plastic sliders, one size fits all! Superb speaker and mic foaming protects the mic and speaker elements as well as making the ear fit very comfortably. The audiofrequency (AF) of the transceiver can be conveniently controlled by the small volume control in the cord which is 6 foot long from headset to plug.

ED 2 goose-neck desktop microphone, electretsystem, complete with with cable and plug 4-, 6- or 8 pin. Please state whether : Yaesu, Kenwood, Icom, Stabo etc. is required and whether **Western RJ45** or round plug, etc.: **Euro 79,-**

ED 2 goose-neck desktop microphone, electretsystem, **but** with inbuild **2- stage preamp**, complete with cable and plug 4-, 6- or 8 pin. Please state whether : Yaesu, Kenwood, Icom, Stabo etc. is required and whether **Western RJ45** or round plug, etc.: **Euro 98,-**

ED 2 goose-neck desktop **computer** microphone, electretsystem, **but** with inbuild **2- stage preamp**, complete with 9V batterie, cable and 3,5 mm stereo plug for „MIC" or „line-in" from the stereo card.: **Euro 98,-**

ED 4 ufb handheld microphone, electretsystem, complete with plug, 4-, 6- or 8 pin. Please state whether : Yaesu, Kenwood, Icom, Stabo etc. is required and whether **Western RJ45** or round plug, etc.: **Euro 40,-**

ED 502 Desk microphone with Equalizer, electretsystem goosneck compl. **with power supply 230V and connection cable with plug 6,3** to 4-, 6- or 8 pin, Please state whether : Yaesu, Kenwood, Icom, Stabo etc. is required and whether **Western RJ45** or round plug, etc.: **Euro 159,-**

ED 502 goosneck wih XLR plug 3 pin und windscreen Euro 59,-

ADONIS Microphones

Adonis AM 508E Goosneck Desktop- Microphone, Electretsystem, with inbuild **preamp** and **dynamik-compressor**, compl. with conversion cables and Mic-plug 4-, 6- or 8 pin. Please state whether : Yaesu, Kenwood, Icom, Stabo etc. is required and whether **Western RJ45** or round plug, etc.: **Euro 139,-**

Adonis AM 708E Goosneck Desktop- Microphone, Electretsystem, for **2** transceiver with inbuild **preamp, dynamik-compressor, microphone selector** and **VU-instrument**, compl. with 1. Conversion cables and Mic-plug 4-, 6- or 8 pin. Please state whether : Yaesu, Kenwood, Icom, Elecraft etc. is required and whether **Western RJ45** or round plug, etc.: **Euro 198,-**
2. Conversion cables, as Option- ICOM, Kenwood Yaesu or what you need **Euro 19,-**

Adonis DX 1 Goosneck Desktop- Microphone, ceramiksysteem, compl. with conversion cables and Mic-plug 4-, 6- or 8 pin. Please state whether : Yaesu, Kenwood, Icom, Elecraft etc. is required and whether **Western RJ45** or round plug, etc.: **Euro 149,-**

Windscreen for ADONIS desk microphone AM 508 und AM 708: **Euro 5,20**

Windscreen for ED2, SM 20 ... (10 mm hole) desk microphone: **Euro 3,50**

Headsets

ED 5 sw better Headset with microphone and headphone included **2 x 3,5 mm plugs** and NF- Volume control, super for sound cards and VIOP : **Euro 30,-**

ED 5 sw, better Headset, ready with **round** plug for **Icom-, Yaesu, Elecraft or Kenwood** -transceiver, 8 pin **Euro 39,-**

ED 5 sw, Headset, ready with **RJ45** plug for **Icom, Yaesu-, Elecraft or Kenwood** - transceiver, 8 pin, **Euro 39,-**

ED 5 sk, Headset, for greater heads, ready with **MIC** plug for **Icom, Yaesu-, Elecraft or Kenwood** - transceiver, 8 pin, **Euro 49,-**

ED 5 sl, Headset, for greater heads and **without** microphone **arm**, ready with **MIC** plug for **Icom, Yaesu-, Elecraft or Kenwood** - transceiver, 8 pin, **Euro 59,-**

ED 5 sb, Headset, for greater heads, ready with **MIC** plug for **Icom, Yaesu-, Elecraft or Kenwood** - transceiver, 8 pin, **Euro 59,-**

ED 5 g headphone, for **all** Transceiver, with 3,5 mm plug **Euro 25,-**

ED 5 gr headphone, ears completely covered, for **all** Transceiver, with 3,5 mm plug **Euro 29,-**

ED 1h Headset-/Microphone- Switch

For 2 Mic-input, round, 1 output for transceiver, with 2 cabel, 3,5 mm plug and Mic-plug, 8 pin, Please state whether : Yaesu, Kenwood, Icom, Elecraft etc. is required and whether **Western RJ45** or round plug: **Euro 89,-**

NEW

ED 1 Microphone Switch in a **black anodized metal case**, for **2 transceivers, or 2** microphones, Mic-jack and 4-, 6 - or 8 pin plug, connection for: Yaesu, Kenwood, Icom or **mixed**. Connection cable with **RJ45** plug (Please state when ordering.) **Euro 89,-**

For **3 transceiver or 3 microphones Euro 119,-**

Headphone Divider, Separater

[Site map](#)

[Equipments](#)

[Module](#)

[Tips](#)

[IC 706,703,](#)

[IC 7000](#)

[Antennae](#)

[Adapter](#)

[Audio-filter](#)

[Mikrofone](#)

[Headset](#)

[Hamradio-links](#)

[Vacation](#)

[Company](#)

[Contact](#)

[delivery-conditions](#)

[Order](#)

[Impressum](#)

[Help](#)

[contact](#)





... now extra charges
for small deliveries

4--channel stereo headphone amplifier / separator, divider, with power supply connection cable for Us 5-15V / ca. 30 mA. Connection cable (stereo) with 6,3 mm (1/4 TRS) and 3,5 mm plug. **Euro 59,50**

4--channel stereo headphone amplifier , complete, with plug-in regulated **power supply Euro 69,50**

ED 1a/s Loudspeaker--Switch (Stereo)

For 4 transceiver or 4 receiver **with SUB-** Rx, with cabel und 3,5 mm plugs **Euro 89,-**

ED 1a/m Loudspeaker--Switch (Mono)

For 4 transceiver or 4 receiver, with cabel und 3,5 mm plugs **Euro 89,-**

Loudspeaker

Stations- and Mobil-loudspeaker for all transceiver or receiver with cabel and 3,5 mm mono plug **Euro 17,-**

Stations- loudspeaker „ **40W** „ with **excellent** audio for all transceiver or receiver with 1m cabel and 3,5 mm mono plug **Euro 39,-**

Interface for Sound cards

Our charges include
Value Added Tax
(BTW, TTC,)

ED 16 Mi (new) Mixer-Interface for **2 transceiver**, with connection cable for the **Sound card**, microphone-jack and plug 4-, 6- or 8 pin, Please state whether : Yaesu, Kenwood, Icom, Elecraft etc. is required and wheter **Western RJ45** or round plug, etc.: **Euro 179,-**

NEW **ED 17** the quick connection between Sound card and receiver AF-output , fully isolated computer ground circuit using high performance AF-transformer in an attempt to eliminate ground loops, for **SWL**, with 3,5 mm Stereo jack **Euro 45,-**

Antenna Switch

ED 73/S Antenna Switch for **2** transceivers and **2** antennae, complete with connection cables, in a **black anodized metal case, PL 259 / SO 239- plug/jack: Euro 89,-**

ED 73/N Antenna Switch for **2** transceivers and **2** Antennae, complete with connection cables, in a **black anodized metal case, with N- Norm- - plug/jack: Euro 99,-**

Transformer

HV 1 Toroidal-Transformer, 5 x 230V/ 1.4 A: **Euro 269,-**

HV 2 Toroidal-Transformer, 4 x 235V/ 0.6 A: **Euro 199,-**

HV 3 Toroidal-Transformer, 1500V-1200V-1000V, 1.6 A: **Euro 399,-**

HV 4 Toroidal-Transformer, 5 x 230V, 2.5 A: **Euro 395,-**

valid : 26.5.2011

HV 5 Toroidal-Transformer , 2x 350V/0,5A, 1x 6,3 V/ 3A, 1x 100/200V / 0,1A; 1 x 15V/ 1A,: **Euro 129,-**

UG 2 Transformer, EI, 1x 450V-320-260-200V / 150 mA : **Euro 49,-**

ED 22 Rectifier-module for HV 1-, HV 2- and HV 4-Transformer: **Euro 165,-**

ED 221 Rectifier-module for HV 3- Transformer: **Euro 135,-**

Filement-Transformer Sek. 6 / 6,5 V / 3,0 A **Euro 45,-**

Filement-Toroidal-Transformer Sek. 12,6 / 3,7A + 15V / 1,0 A **Euro 45,-**

Filement-Toroidal-Transformer Sek. 2 x 13,3V / 4 A Ringkern **Euro 55,-**

ED 42 c Rectifier-module for **HV 5-** transformer (Ua): **Euro 59,-**

Ug1- adjusting control, 5 W, for baiscontrol, with 2 piece 2 W resistors: **Euro 13,-**

Elkos 450/470 uF +/- 20%, 450V DC, 35 mm x 55 mm, radial, (new/fresh) piece **7,90** 10 piece **7,60** per piece

Rectifier diode 1 N 5408 1300V / 3A, 10 piece **7,-**

Order

NTC inrush current limitation, limits the current when switching on 1 Ohm or 22 Ohm (20°), wired, Piece **Euro 2,50**

13 V / DC - regulated power supply

25 A / 13,5V DC - Inbuild switching power supply , 1500 g light, 13,5V / 25A 28A peak DC, **new**, short circuit, overload,over voltage, over temp. Protected, very popular, tested and reliable in DX- peditionen. Now new, **Euro 90,-**

13,8V DC Power plug set 20A, for transceiver, Icom, Kenwood, Yaesu, **4 / 6 pin set Euro 5,90**

13,8V DC Power plug set 20A, for transceiver, **IC 7000, TS 2000, TS 480 ... 4 pin set Euro 5,50**

13,8V DC Power plug with cable, very flexible, without fuse, 30A, 1m : **Euro 16,-** , 2m **Euro 19,-**

NEW

Service and tips by Email, Fax or Telephone **Euro 0,-**

2 m Amplifier-module and accessories

2 m amplifier module for the QQE 06/40, constructed and tested with illustration and description, without tube: **Euro 109,-**



2 m amplifier module for the QQE 06/40, constructed and tested with illustration and description, but with tube: **Euro 169,-**

QQE 06/40 Toroidal-transformer, 1x 215V / 1.6A, 2x 6,3V / 3A, complete with Attachment-material: **Euro 109,-**

ED 40 c Rectifier module for QQE 06/40-transformer: **Euro 71,-**

ED 56 2 - ply coax-switcher, for power amplifier, with G2- relay, RF-dioden, Sequencer, tested **module: Euro 40,-**

built-in measuring instrument, 500 mA, for the anoden current: **Euro 15,-**

Septar 7 pin, ceramic **tube socket** for 8877 or QQE06/40: **Euro 5,-**

[Site map](#)

Microphone-jacks - Leads - Cables

[Equipments](#)

Leads for the microphone-jacks, suitable for Icom, Kenwood, Yaesu, with receptacle and round or Westernplug, RJ45, 6 or 8 pin. Or with XLR 3 pin **Euro 15,-**

[Module](#)

Connection cables, 8 pin, round, approx.. 4,8 mm o, flexible, coloured wires, with screen, approx.. 1 m long, black, with Round- or Westernplug RJ 45, 4- 6,- or 8 pin: **Euro 8,-**

[Tips](#)

[IC 706,703,](#)

[IC 7000](#)

Connection- or extention cable, black, 8 pin, round, approx. 4,8 mm o, flexible, coloured wires, with screen, approx.. 1 m long, black, Receptacle with Round- or Westernplug RJ 45, 4- 6,- or 8 pin:**Euro 19,-**

[Antennae](#)

[Adapter](#)

[Audio-filter](#)

[Mikrofone](#)

[Headset](#)

[Hamradio-links](#)

[Vacation](#)

PTT- send- control cable with relay for Icom **706/ 703, 7000...**-transceiver, with 13 pin ACC-plug, without ALC- line, with FET, separated, **1x** over - output, potentialfree: **Euro 33,-**

PTT- send- control cable with relay for Yaesu **FT 817, FT 897 ...** -transceiver, with 8 pin ACC-plug, without ALC- line, with FET, separated, **1x** over - output, potentialfree: **Euro 33,-**

[Company](#)

[Contact](#)

PTT - Sequencer

[delivery-conditions](#)

ED 16 c, PTT-Sequencer, time-delayed- and graded transmission- and receiving control, ED70 c - module installed in an elegant **black anodized metal case**, 4 relay contacts, potential-free, 5 outputs, with Chinch output jacks and with cable, plug and jack for transceiver, 8 pin, Please state whether : Yaesu, Kenwood, Icom, etc. is required and whether **Western RJ45** or round plug, etc.: **Euro 90,-**

[Order](#)

ED 70 c PTT-Sequencer, as Module, time-delayed- and graded transmission- and receiving control, tested, 4 relay contacts, potential-free, 5 outputs: **Euro 48,-**

[Impressum](#)

PTT-Foot switch , with 2 wire connection cable, approx. 2 m long **Euro 17,-**

PTT USB Adapter from USB to COM RS232: **Euro 25,-**

PTT Cinch-/RCA Adapter from COM RS232 to cinch/RCA with optocoupler **Euro 25,-**

706, 703, 7000 ... Tuning-assistant as plug with description **Euro 10,-**

706, 703, 7000 ... Data - plug , 6 pin, Mini - DIN norm **Euro 2,-**
with cable, 1m , complete with plug **Euro 12,-**

Mini-DIN (Data) - plug, 8 or 5 pin, for many different transceivers **Euro 2,- each**

AF-Audio-Splitter with 2 x 3,5 mm stereo jacks, 1 x 3,5 mm stereo plug **Euro 1,90**

Icom Tuner 4 pin plug, flat, set **Euro 4,90**

Icom Tuner 4 pin socket, flat, set **Euro 4,90**

For further connection cables - wished by you -
Please request offer by [email](#).

[top/start](#)

Shipping cost normal, shared Euro < 16,- (letter),
Euro 19,- (Parcel) or heavy Euro 38,- Please enquire for overseas

Most items are manufactured in Pleitersheim Germany